

From: [Chris Hill \(Regulatory\)](#)
To: 'Gene Florentino (gflorentino@ene.com)'; [Michael Overbay/R6/USEPA/US@EPA](#); [David Jewett/ADA/USEPA/US@EPA](#); [Doug Beak/ADA/USEPA/US@EPA](#); [Randall Ross/ADA/USEPA/US@EPA](#); [Susan Mravik/ADA/USEPA/US@EPA](#)
Cc: [John Satterfield](#); [Bert Smith](#); [Brent Wilson](#); [Stephanie Timmermeyer](#)
Subject: Tom Site Evaluation
Date: 03/25/2012 05:27 PM
Attachments: U.S. FOIA Exempt (b) (4)

Please see the attached summary of geological and groundwater characteristics in the vicinity of the Thompson well that Chesapeake had prepared by SAIC. I will post this evaluation, the EDR reports Chesapeake purchased, and any addition information identified on the FTP site. Let us know if you have any questions.

Thank you,
Chris Hill
Environmental Engineer
Chesapeake Energy Corporation
Office: (405) 935-2321
Mobile: (405) 388-3907
Fax: (405) 849-2321
E-mail: Chris.Hill@chk.com



This email (and attachments if any) is intended only for the use of the individual or entity to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this email is not the intended recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately by return email and destroy all copies of the email (and attachments if any).